

L Number	Hits	Search Text	DB	Time stamp
1	48566	(transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:54
2	4022	(uv or ultraviolet or (ultra adj violet)) near3 (block or blocking)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:08
3	53619	(uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:20
4	2836	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:09
5	792	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")) same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:09
6	229256	fluorescent or fluorescen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:10
7	967	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) and (fluorescent or fluorescen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:10
8	206	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")) same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) and (fluorescent or fluorescen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:10
9	590688	"10 percent" "10%" "10 %"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:12
10	331409	"90 percent" "90%" "90 %"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:12
11	2345	((("10 percent" "10%" "10 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) or ((("90 percent" "90%" "90 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:12
12	66	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm")) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) and (fluorescent or fluorescen\$5) and ((("10 percent" "10%" "10 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) or ((("90 percent" "90%" "90 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:13

13	30	(((((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) and (fluorescent or fluorescen\$5)) and (((("10 percent" "10%" "10 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))) or (((("90 percent" "90%" "90 %") same ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:17
14	31471	"380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:19
15	1955	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:19
16	16358	"420 nm" "420nm" "800 nm" "800nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:08
17	1075	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("420 nm" "420nm" "800 nm" "800nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:20
18	279	((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm")) and (((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("420 nm" "420nm" "800 nm" "800nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:20
19	21	(((((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm")) and (((transmittance or transmit or transmit\$6) near6 (wavelength or (wave adj length) or nanometer or "nm"))) same ("420 nm" "420nm" "800 nm" "800nm")))) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing)) and (fluorescent or fluorescen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:52
20	1140	359/359-361.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:53
21	792	252/588-589.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:53
22	55055	(transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:55
23	431	(359/359-361.ccls. or 252/588-589.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:29
24	37	((359/359-361.ccls. or 252/588-589.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm")))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:29

25	1997	(428/\$.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:29
26	114	((428/\$.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:29
27	108	((428/\$.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")) not (((359/359-361.ccls. or 252/588-589.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:41
28	28	((359/359-361.ccls. or 252/588-589.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")) or ((428/\$.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")) and (release or releas\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:42
29	97	((359/359-361.ccls. or 252/588-589.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")) or ((428/\$.ccls.) and ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm") and ("420 nm" "420nm" "800 nm" "800nm")) and (bonded adhered adhesive adhesion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:59
31	99	"300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:03
32	30	"300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:04
33	1277	"300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:10
34	1398	("300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm") ("300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm") ("300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:05

35	1	("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") and (("300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm") ("300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm") ("300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:05
30	8	"420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:06
36	4750	"420 nm" "420nm" "420 nanometers"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:09
37	4757	("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:09
39	31546	((("300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm") ("300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm") ("300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm")) or ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:10
40	1053	((("300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm") ("300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm") ("300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm")) or ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm")) same ("10 percent" "10%" "10 %")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:10
41	3	((("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")) same ("90 percent" "90%" "90 %")) and (((("300-380 nm" "300 - 380 nm" "300-380 nanometers" "300 - 380 nanometers" "300-380nm" "300 - 380nm" "300 to 380 nm" "300 to 380 nanometers" "300 to 380nm") ("300-390 nm" "300 - 390 nm" "300-390 nanometers" "300 - 390 nanometers" "300-390nm" "300 - 390nm" "300 to 390 nm" "300 to 390 nanometers" "300 to 390nm") ("300-400 nm" "300 - 400 nm" "300-400 nanometers" "300 - 400 nanometers" "300-400nm" "300 - 400nm" "300 to 400 nm" "300 to 400 nanometers" "300 to 400nm")) or ("380 nm" "380nm" "390 nm" "390nm" "400 nm" "400nm")) same ("10 percent" "10%" "10 %"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:11
38	68	((("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")) same ("90 percent" "90%" "90 %"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:57

42	22	((("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")) same ("90 percent" "90%" "90 %")) same ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:59
43	8	((("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")) same ("90 percent" "90%" "90 %")) same ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:10
44	3	((("420-800 nm" "420 - 800 nm" "420-800 nanometers" "420 - 800 nanometers" "420-800nm" "420 - 800nm" "420 to 800 nm" "420 to 800 nanometers" "420 to 800nm") or ("420 nm" "420nm" "420 nanometers")) same ("90 percent" "90%" "90 %")) same ((transmittance or transmit or transmit\$6) near10 (wavelength or (wave adj length) or nanometer or "nm"))) and ((uv or ultraviolet or (ultra adj violet)) near3 (block or blocking or absorb or absorber or absorbing)) and (brightener or fluoresc\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:15
45	7	"5806834"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:13
46	5	"5806834" and (brightener or fluoresc\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:28
47	1	("5806834" and (brightener or fluoresc\$)) and stabiliz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:28